


BASIC INFORMATION

LACQUERED DOORS EXCLUSIVE are made of a combination of two high-quality materials. The visible part of the door, i.e. the frame and the door leaf itself, is made of high-quality steel sheet coated with RAL 9003 powder paint. The installation frame is made of high-quality ASA styrene polymer. Both of these materials are weather-resistant and the door is therefore suitable for placement both outdoors and indoors. The door should not be placed in an environment where there is a higher concentration of aggressive chemicals such as chlorine, ammonia, road salt.

LACQUERED EXCLUSIVE DOORS are equipped with an opening mechanism, where after inserting any plastic card the size of an ID card, the latches are opened and the door opens on its hinges. There is NO need for a screwdriver or special wrench to open it.

LACQUERED EXCLUSIVE DOORS are suitable as a design cover for various inspection elements, such as water or gas shut-offs, or as a control door under a bathtub or washbasin.

LACQUERED DOORS EXCLUSIVE are available in sizes 200x200, 200x300, 300x300, 400x400 mm.




FEATURES & BENEFITS

- Minimalist design,
- high-quality workmanship guaranteeing a long service life,
- weather-resistant,
- minimal overlap into the space (only 1 mm),
- elegant Eurocard opening system,
- simple installation and easy maintenance,
- the design of the door does not disturb the surrounding design,
- the door is protected by UV CZ30936, PCT/CZ2017/000071, RCD No.004515237.

Odp - zpracoval:	Ladislav Chloupek	Spr - schválil:	Jan Hájek	Datum:	
Podpis:		Podpis:		Strana / Počet stran:	1/3

DIMENSIONS



Title	Order No.	Dimensions (mm)				
		A	B	C	D	H
LDE 200x200	0170	198	198	224	224	20
LDE 200x300	0169	198	298	224	324	20
LDE 300x300	0168	298	298	324	324	20
LDE 400x400	0167	398	398	424	424	20

Nominal sheet thickness




1 mm

Odp - zpracoval:	Ladislav Chloupek	Spr - schválil:	Jan Hájek	Datum:	
Podpis:		Podpis:		Strana / Počet stran:	2/3


TECHNICAL SHEET LACQUERED DOORS EXCLUSIVE




R-060622-OZ/VO-[V]-A0




Door leaf
Lacquered steel



Outer frame
Lacquered steel



Installation frame
Styrene polymer ASA



Frame with opening
mechanism
Styrene polymer ASA




Opening mechanism
Semi-crystalline thermoplastic POM

For more information, please [contact www.haco.cz](http://www.haco.cz) or our sales representatives:

1 Zuzana Matuchová
tel.: +420 606 837 411
e-mail: zuzana.matuchova@haco.cz

2 Ladislav Chloupek
tel.: +420 739 464 938
e-mail: ladislav.chloupek@haco.cz



Odp - zpracoval:	Ladislav Chloupek	Spr - schválil:	Jan Hájek	Datum:	
Podpis:		Podpis:		Strana / Počet stran:	3/3